

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)

Google scholar

transforming source schema to target schema

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

Scholar



Articles and patents

anytime

include citations

Results 1 - 10 of about 18. (0.16 sec)

XML representation of hierarchical classification systems: from conceptual models to real applications.

[nih.gov \[PDF\]](#)

S Hoelzer, RK Schweiger, R Liu, D Rudolf, ... - Proceedings of the ..., 2002 - ncbi.nlm.nih.gov

... As a consequence, we can use existing XML tools such as parsers and **transformation** engines to ... A relational database is often used as a **source** to generate above mentioned electronic formats. ...

With our "XML **Schema** browser" the user is able to take any XML **schema** or DTD ...

[Cited by 1](#) - [Related articles](#) - [All 5 versions](#)

Standardized Semantic Markup for Reference Terminologies, Thesauri and Coding Systems: Benefits for distributed E-Health Applications

MD Simon Hoelzer, RKS PhD, R Liu, D Rudolf, J ... - 2005 - IOS Press

... **transformation** engines to process an XML **schema**. ... A relational database is often used as a **source** to generate above mentioned electronic formats. ... Browsing the XML **Schema** With our "XML **Schema** browser" the user is able to take any XML **schema** or DTD and to view and ...

[Related articles](#)

[PDF] [Recommendations](#)

[dimdi.de \[PDF\]](#)

MD Simon Hoelzer, RKS PhD, R Liu, D Rudolf, J ... - dimdi.de

... parsers and **transformation** engines to process an XML **schema**. ... into a parent. A relational database is often used as a **source** to generate above mentioned electronic formats. ... With our "XML **Schema** browser" the user is able to take any XML **schema** or DTD and to view and ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[CITATION] [Recommendations](#)

S Hoelzer, RKS PhD, R Liu, D Rudolf, J Rieger, J ...

[Related articles](#) - [All 2 versions](#)

Standardized Semantic Markup for Reference Terminologies, Thesauri and Coding Systems: Benefits for distributed E-Health Applications

D Rudolf, JRJ Dudeck - Medical and care computenics 2, 2005 - books.google.com

... A relational database is often used as a **source** to generate above mentioned electronic formats. ...

Our XML **schema** of the ICD-10 differs from the CEN ClaML standard in that way ... Nevertheless,

despite this additional granularity it is possible to **transform** our XML model into the ...

[Related articles](#)

[\[PDF\] XML Representation of Hierarchical Classification Systems: From Conceptual Models to Real Applications](#)

[hplus.ch](#) [PDF]

MD Simon Hoelzer, RKS PhD, R Liu, D Rudolf, J ... - files.hplus.ch

... As a consequence, we can use existing XML tools such as parsers and **transformation** engines

to ... A relational database is often used as a **source** to generate above mentioned electronic formats. ...

With our "XML **Schema** browser" the user is able to take any XML **schema** or DTD ...

[Related articles](#) - [All 2 versions](#)

[Transparent ICD and DRG coding using information technology: Linking and associating information sources with the extensible markup language](#)

[nih.gov](#) [HTML]

S Hoelzer, RK Schweiger, J ... - Journal of the American ..., 2003 - jamia.bmjournals.com

... Depending on the specific requirements of an application, style sheets can **transform** and render

XML sources ... more closely the association is related to the **source**, the more relevant that **source**

is ... The XML **schema** provides data types that can be used to restrict and validate the ...

[Cited by 2](#) - [Related articles](#) - [All 15 versions](#)

[\[PDF\] AND THE EXCHANGE OF HUMANLY USABLE DIGITAL CONTENT](#)

[vcoss.org.au](#) [PDF]

RA Vines, JM Firestone - vcoss.org.au

... process, content is mapped between the **source** and destination **schemas**. ... In particular, the CGML

application provides a **transformation** system through which the digital elements expressed ...

reproduces the definitions and examples as given by each tagging **schema**. ...

[Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[\[PDF\] AND THE EXCHANGE OF HUMANLY USABLE DIGITAL CONTENT ACROSS A GLOBAL ECONOMY](#)

[knci.org](#) [PDF]

RA Vines, JM Firestone - knci.org

... process, content is mapped between the **source** and destination **schemas**. ... In particular, the CGML

application provides a **transformation** system through which the digital elements expressed ...

reproduces the definitions and examples as given by each tagging **schema**. ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[Mark-up driven strategies for text-to-hypertext conversion](#)

[psu.edu](#) [PDF]

A Storrer - Linguistic Modeling of Information and Markup ..., 2010 - Springer

... and can be validated against its corresponding document grammar (**DTD** or **schema** file ... On this

basis we implemented four basic operations that **transform** the paragraphs of sequential ... a link,

he further differen- tiates between one-to-one-links, which connect a **source** anchor to ...

[Cited by 3](#) - [Related articles](#) - [All 7 versions](#)



[Create email alert](#)



Result Page: 1 2 Next

transforming source schema to target schema via common DTD and superordination

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google